

# Photocontrol - Stem and Swivel Mount Thermal Photocontrol, 347 V

## Item K4227



#### PRODUCT DESCRIPTION

These photocontrols are provided with a swivel arm for easy and flexible installation to standard outdoor light fixtures or electrical hoxes

### **FEATURES**

- ► Mechanical bimetal switch with Cadmium Sulfide photocell
- ► Delay feature prevents unwanted OFF switching
- ► High strength, UV resistant plastic housing
- ► Swivel with 1/2"-14 NPSM threaded stem
- ► Washer gasket and locking nut included
- ► #18 AWG, 6" wire leads



### **APPLICATIONS**

► Outdoor Lighting Control

### **TECHNICAL DATA**

General	
Model Number	K4227
Description	Stem and Swivel Mount Thermal Photocontrol, 347 V
UPC Code	078275091696
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	2-Year limited
Usage Environments	Outdoor
Photocontrol Type	Thermal
Expected Lifetime (Years)	5
Expected Lifetime (Operations)	3650
Application Compatibilities	HID; Fluorescent; Incandescent
Photocontrol Style	Stem and Swivel Mount
Photocontrol Sensor Location	Side

Control Specifications	
Sensor Time Delay	30 sec to 90 sec
Photocell Type	Cadmium Sulfide
Photo Control Switch Type	Mechanical Bimetal
Fail Mode	ON
Activation On	1 to 5 fc
Activation Off	3 to 15 fc

Dimensions	ions	
Product Height (in)	5	
Product Height (mm)	139.7	
Product Width (in)	1 9/16	
Product Width (mm)	39.7	



Product Depth (in)	1 9/16
Product Depth (mm)	39.7
Wire Lead Length (in)	6
Wire Lead Length (mm)	152
Wire Size Max	#18 AWG

Material Specifications		
Cover Color	Gray	
Housing Material	Polycarbonate	

Load Ratings	d Ratings	
Magnetic Ballast Range(s)	8.3 A, 2880 VA	
Tungsten Range(s)	15 A, 5205 W	

Electrical Specifications	
Wiring Option	Wire leads
Input Voltage Range(s)	347 VAC, 50/60 Hz

Packaging			
	Shipping Weight (lbs)	0.15	
	Unit Carton Dimensions (H x W x D) in	5.001 x 3.001 x 1.751 in	

Environmental Specifications			
	Temperature (operation)	-40°C70°C	

Standards and Certifications		
CSA Certification	CSA	
Other Certifications and Compatibilities	Title 20	
California Proposition 65	DEHP	
PDF Standards And Certifications	CSA; Title 20	
Epi Certifications	CSA; Title 20	



### **ACCESSORIES**



22LG116 Light Guard Accessory for K4100 Series, K4200 Series Thermal Photocontrols



K42-SW-A Swivel Arm Accessory for EK4136S, K4100 Series Stem Mount Photocontrols



6LV1352 Light Shield Accessory for EK4036S, EK4436SM, K4000 Series Button Photocontrols