

Weather Proof Cover - Plastic In-Use Weatherproof Cover, Single-Gang, Vrt/Hrz, 2.75" White

Item WP1100WC



PRODUCT DESCRIPTION

Plastic In-Use Weatherproof Covers are easy to install and include adhered gasket, mounting screws, base, cover assembly and inserts to meet the needs of a variety of applications.

FEATURES

- ▶ Complies with 2020 NEC Article 314.15 for damp and wet locations
- ▶ UL Certified for Type 3R outdoor enclosures
- ▶ Meets requirements for cold impact testing: -60° F (-51° C)
- ▶ Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts
- ▶ 1/8" (3 mm) thick, pre-adhered neoprene gasket with slits for mounting screws
- ▶ Lockable hasp: All models accept up to 1/4" (6 mm) dia shank, except WP3100C & WP3103C accept up to 1/8" (3 mm) dia shank
- ▶ Three inserts provided with all models that allow each model to meet multiple installations (up to 16 configurations)
- ▶ Max cord size: (2) #14 AWG or (1) #12 AWG
- ▶ Mounts vertically or horizontally
- ▶ Warranty: 1-year limited

APPLICATIONS

- ▶ Receptacle Protection

TECHNICAL DATA

| General | |
|--------------------------------|--|
| Model Number | WP1100WC |
| Description | Plastic In-Use Weatherproof Cover, Single-Gang, Vrt/Hrz, 2.75" White |
| UPC Code | 078275087897 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | MEXICO |
| Warranty Period | 1-Year limited |

| Mechanical Specifications | |
|----------------------------|---------------------|
| Number of Included Inserts | 3 |
| Insert Types Included | WP17 |
| Hinge Direction | Vertical/Horizontal |
| Is Extra-Duty Rated | No |

| Dimensions | |
|-----------------------------------|----------------------|
| Product Dimensions (H x W x D) in | 5 3/4 x 4 x 2 3/4 in |
| Accepted Cord Size Max | 2x14 AWG; 1x12 AWG |
| Box Type | Single |

| Material Specifications | |
|-----------------------------|-----------------------|
| Color | White |
| Weatherproof Cover Material | UV Stabilized Plastic |


Packaging

| | |
|---------------------------------------|--------------------------|
| Shipping Weight (lbs) | 0.444 |
| Unit Carton Dimensions (H x W x L) in | 3.001 x 4.501 x 6.251 in |

Standards and Certifications

| | |
|---------------------------|------|
| UL Certification | UL |
| California Proposition 65 | None |

DRAWINGS AND DIAGRAMS



ACCESSORIES



WP17
Single-Gang Inserts (3)