


Product data sheet

Specifications



Socket, SE Relays general purpose relay accessory, SPDT, 15A, 300 V, 5 pins, Quick connect terminal, 781R series

70-781F-1

Main

Product Range	Legacy
Product Type	Socket
Product Compatibility	relay 781XAXR
Number of Terminals	5

Complementary

Rated Current	15 A
[Ue] rated operational voltage	300 V
Connections Terminals	Faston terminals
Fixing Mode	By screw, for chassis
Product Weight	0.63 oz (18 g)
Depth	0.71 in (18 mm)

Environment

Flame Retardance	UL94-V0
------------------	---------

Ordering and shipping details

GTIN	3606480278075
------	---------------


Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration

WEEE

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Approximate Dimensions



Connections and Wiring Diagrams

