

# Product data sheet

Specifications



Socket, SE Relays general purpose relay accessory, 3PDT, 10A, 300V, 11 pins, lift terminals, locking plastic clip, 782 s

70-782EL11-1

## Main

Product Range	Legacy
Product Type	Socket
Product Compatibility	relay 782XDXH diode 70-BSMD signalling device 70-BSMLG suppressor module 70-BSMM jumper wire 16-782CBJ-1
Number of Terminals	11

## Complementary

Rated Current	10 A
[Ue] rated operational voltage	300 V
Connections Terminals	lift terminalsflexible lift terminalssolid
Tightening Torque	< 0.8 N.m
Fixing Mode	By screw, for panel Clip-on 35 mm symmetrical DIN rail
Product Weight	1.98 oz (56 g)
Depth	3.11 in (79 mm)

## Environment

Flame Retardance	UL94-V0
------------------	---------

## Ordering and shipping details

GTIN	3606480278136
------	---------------

## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>

<b>Toxic heavy metal free</b>	Yes
<b>Mercury free</b>	Yes
<b>RoHS exemption information</b>	<a href="#">Yes</a>
<b>China RoHS Regulation</b>	<a href="#">China RoHS declaration</a>
<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
<b>WEEE</b>	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Approximate Dimensions

