## **Product data sheet**

Specifications



## LED indicator, SE Relays, general purpose relay accessory, 240 VAC/ VDC, red

70-ASML-240

| Main                  |  |  |
|-----------------------|--|--|
| Product Range         | Legacy   |  |
| Product Type          | Signalling indicator   |  |
| Product Compatibility | socket 70-750 plug-in<br>socket 70-783 plug-in<br>socket 70-784 plug-in<br>socket 70-788 plug-in |  |

## Complementary

| [Ue] rated operational voltage | 240 V                        |
|--------------------------------|------------------------------|
| Local Signalling               | for coil powered 1 LED (red) |
| Width                          | 1.37 in (34.80 mm)           |
| Depth                          | 1.59 in (40.5 mm)            |

## Ordering and shipping details

| GTIN | 3606480278228 |  |
|------|---------------|--|

| Sustainable offer status   | Green Premium product   |  |
|----------------------------|---|--|
| California proposition 65  | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known<br>to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the<br>State of California to cause birth defects or other reproductive harm. For more information go to<br>www.P65Warnings.ca.gov |  |
| REACh Regulation           | REACh Declaration   |  |
| REACh free of SVHC         | Yes   |  |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope)<br>EU RoHS Declaration   |  |
| Toxic heavy metal free     | Yes   |  |
| Mercury free               | Yes   |  |
| RoHS exemption information | Yes   |  |
| China RoHS Regulation      | China RoHS declaration  |  |
| Environmental Disclosure   | Product Environmental Profile   |  |
| WEEE                       | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.  |  |

Product data sheet

70-ASML-240

Connections and Schema

**Connections and Wiring Diagrams** 

